

02176603 BEAUFORT RIVER AT BEAUFORT, SC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--October 1998 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: October 1998 to current year.

WATER TEMPERATURE: October 1998 to current year.

DISSOLVED OXYGEN: October 1998 to current year.

INSTRUMENTATION.--Water-quality multiprobe and data collection platform.

REMARKS.--Specific conductance records rated excellent except for Oct. 12-14, Dec. 5-8, 20, 21, Jan. 3-5, July 12-14, Aug. 4, Sep. 25-27, which are good. Temperature records rated excellent. Dissolved oxygen records rated excellent except for Oct. 5-9, 17, 18, Nov. 1-4, Nov. 29 to Dec. 2, 3, Jan. 1, 2, 19-25, Feb. 2-9, Feb. 25 to Mar. 3, May 27, June 12, 13, July 3-5, 9-11, 22-24, Aug. 1-4, 16-18, 22-24, Sep. 9, 19-21, which are good, Oct. 10-13, 19, 20, Nov. 5-8, Dec. 3-8, Feb. 11-16, Mar. 4-9, May 28, 29, June 14, 15, July 6, 12, 13, 25, 26, Aug. 25-28, Sep. 10, 11, 22-24, which are fair, and Oct. 14, 21-26, Nov. 9, May 30, June 16, July 14, Aug. 29, Sep. 12-14, 25-27, which are poor. Prior to October 1, 2003 dissolved oxygen concentrations are not corrected for salinity.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 54,900 microsiemens, May 23, 2002; minimum, 31,000 microsiemens, Apr. 10, 2003.

WATER TEMPERATURE: Maximum, 34.5°C, Aug. 1, 1999; minimum, 5.0°C, Jan. 4, 5, 2001.

DISSOLVED OXYGEN: Maximum, 13.6 mg/L, Feb. 3, 4, 2000; minimum, 2.8 mg/L, Sep. 13, 2004.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 49,700 microsiemens, Jan. 6-11; minimum, 39,000 microsiemens, Aug. 27, 28.

WATER TEMPERATURE: Maximum, 33.2°C, July 27, Aug. 21; minimum, 7.0°C, Jan. 30.

DISSOLVED OXYGEN: Maximum, 11.4 mg/L, Feb. 5, 7; minimum, 3.1 mg/L, May 18, Aug. 19, 20.

Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	48500	46700	47700	48400	47300	47900	49300	48600	49000	49400	48600	49100
2	48300	46700	47600	48400	47100	47900	49100	48400	48800	---	---	---
3	48400	46900	47700	48100	47100	47700	48800	48200	48600	---	---	---
4	48400	47200	47900	47700	46700	47300	48700	48100	48400	---	---	---
5	48500	47300	48000	47500	46900	47200	48500	48200	48400	---	---	---
6	48600	47400	48100	47700	47200	47400	48500	48200	48400	49700	49000	49400
7	48700	47000	48100	47900	47200	47600	48700	48300	48500	49700	49000	49400
8	49000	46500	48100	48200	47100	47800	48900	48400	48700	49700	48800	49300
9	48900	45800	47700	48300	47600	48000	49000	48400	48700	49700	48700	49300
10	49000	46000	47500	48500	47800	48200	49000	48100	48600	49700	48600	49200
11	49000	46000	47600	48600	47500	48200	48900	48200	48600	49700	48600	49200
12	49200	46100	47700	48600	47100	48100	49000	48600	48800	---	---	---
13	49000	46300	47900	---	---	---	49000	48700	48800	---	---	---
14	49200	47000	48100	---	---	---	49000	48800	48900	---	---	---
15	---	---	---	---	---	---	49100	49000	49000	---	---	---
16	---	---	---	---	---	---	49200	48900	49100	---	---	---
17	48600	47600	48200	---	---	---	49000	48700	48900	---	---	---
18	48600	47600	48200	---	---	---	48900	48500	48800	---	---	---
19	48500	47600	48200	---	---	---	48800	48400	48600	---	---	---
20	48400	47600	48100	---	---	---	48800	48300	48600	---	---	---
21	48300	47700	48100	---	---	---	48700	48100	48500	---	---	---
22	48300	47500	48100	---	---	---	48800	48600	48700	---	---	---
23	48200	47100	47900	---	---	---	48800	48500	48700	---	---	---
24	48200	47000	47700	49000	48200	48600	48900	48500	48800	---	---	---
25	47800	46500	47300	48900	48100	48500	49200	48800	49000	---	---	---
26	---	---	---	49200	48500	48900	49100	47800	48800	48900	47800	48300
27	48500	46700	47700	49400	48800	49100	49100	48000	48700	48600	47700	48100
28	48500	46800	47800	49100	48300	48800	49300	48100	48800	48500	47200	48000
29	48600	46800	47800	49200	48400	48900	49400	48200	48900	48500	46900	47800
30	48700	46900	47800	49300	48600	49000	49400	48400	49000	48200	46500	47500
31	48500	47100	47900	---	---	---	49400	48500	49000	48100	46600	47500
MONTH	---	---	---	---	---	---	49400	47800	48700	---	---	---

BROAD RIVER BASIN

02176603 BEAUFORT RIVER AT BEAUFORT, SC--Continued

Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	FEBRUARY			MARCH			APRIL			MAY		
1	48000	46700	47400	47900	45300	46800	---	---	---	---	---	---
2	48100	46600	47400	48000	46800	47400	---	---	---	---	---	---
3	48100	45900	47100	48200	47200	47700	---	---	---	---	---	---
4	47800	45800	46900	48300	47300	47800	---	---	---	---	---	---
5	47900	45800	46900	48300	47300	47800	---	---	---	---	---	---
6	47900	45800	46900	48400	47300	48000	---	---	---	---	---	---
7	47800	45800	46900	48500	47300	48000	---	---	---	---	---	---
8	---	---	---	48600	47200	48000	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	48900	48100	48500	---	---	---	---	---	---	---	---	---
18	48800	48200	48500	---	---	---	---	---	---	---	---	---
19	48900	48200	48600	---	---	---	---	---	---	---	---	---
20	48900	48200	48600	---	---	---	---	---	---	---	---	---
21	49000	48000	48500	---	---	---	---	---	---	---	---	---
22	48800	47700	48300	---	---	---	---	---	---	---	---	---
23	48800	47600	48300	---	---	---	---	---	---	---	---	---
24	48800	46900	48000	---	---	---	---	---	---	---	---	---
25	48700	46800	47900	---	---	---	---	---	---	45300	42100	43600
26	48700	47000	48000	---	---	---	---	---	---	45500	42500	43800
27	48700	46400	47800	---	---	---	---	---	---	45500	42900	44200
28	48500	44900	46800	---	---	---	---	---	---	45500	43300	44400
29	---	---	---	---	---	---	---	---	---	45400	43500	44400
30	---	---	---	---	---	---	---	---	---	45200	42900	44000
31	---	---	---	---	---	---	---	---	---	44500	42100	43500
MONTH	---	---	---	---	---	---	---	---	---	---	---	---

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	44300	41300	43100	45600	42000	44000	47100	43200	45700	45500	41300	43400
2	44400	41100	43100	45700	41700	43900	46700	42800	45100	45500	41500	43600
3	43800	39900	42400	45700	41700	43900	46400	42200	44500	45500	41600	43600
4	43900	40200	42200	45800	40600	43600	46100	41900	44100	45400	41800	43600
5	44400	41300	42900	45400	41200	43600	46000	42300	44200	45200	41300	43400
6	44300	41100	42700	45100	41300	43500	45900	42400	44200	45600	41300	43400
7	44400	41200	42900	45600	42000	43900	45800	41900	44000	45600	41300	43400
8	44400	41600	43100	46000	42800	44500	45600	40500	43400	45500	41000	43100
9	44500	41800	43200	45700	43500	44400	45100	40700	43000	45400	40900	43000
10	44500	41700	43200	45400	42600	44200	45100	41000	43100	45200	40700	42800
11	44400	40700	42800	45400	42400	44200	45400	40800	43300	45200	40800	42700
12	44400	40700	42600	45500	42600	44400	45600	41300	43600	45300	40800	42800
13	44400	41100	42900	45700	43000	44500	45700	41800	43700	45700	40900	43000
14	44300	41800	43200	45300	42400	44000	46000	42200	44100	46800	41300	44100
15	44400	42300	43500	---	---	---	46000	42000	44100	47300	42800	45100
16	45700	42700	44200	---	---	---	46300	42300	44500	47900	43700	45800
17	46100	44200	45100	---	---	---	46600	42800	44800	48200	44300	46300
18	46300	43400	45200	---	---	---	46200	42600	44600	48400	44900	46700
19	45800	42000	44500	---	---	---	46200	42800	44500	48600	45400	47100
20	45500	39900	43100	---	---	---	46300	43000	44700	48800	45800	47400
21	45700	40400	43100	45400	43000	44300	46200	43200	44900	49000	46000	47600
22	45800	41200	43400	45500	43300	44500	46300	43400	45100	49000	46300	47700
23	45800	42000	43800	45600	43200	44600	46300	43200	45000	48900	46400	47700
24	45800	42200	44000	45600	43200	44600	46000	43300	44900	48600	46400	47700
25	45700	41600	43800	45600	43100	44600	45900	42000	44300	48200	46100	47300
26	45700	41300	43500	46000	43200	45000	45400	40900	43600	48000	46000	47100
27	45300	41400	43300	46400	44400	45500	44500	39000	42100	48000	46200	47100
28	45800	41400	43600	46700	45000	45900	44300	39000	41800	48300	46000	47200
29	45600	41300	43700	47000	45400	46300	45300	39400	42200	48300	45700	47100
30	45400	41600	43800	47300	45600	46500	45300	40500	43000	48400	45800	47200
31	---	---	---	47600	45100	46600	45400	41000	43200	---	---	---
MONTH	46300	39900	43400	---	---	---	47100	39000	44000	49000	40700	45300

BROAD RIVER BASIN

02176603 BEAUFORT RIVER AT BEAUFORT, SC--Continued

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
1	26.9	25.7	26.2	24.0	22.6	23.1	16.6	16.2	16.4	10.9	9.5	10.0
2	27.4	26.1	26.5	24.4	23.1	23.6	16.3	15.8	16.1	---	---	---
3	27.8	26.4	26.9	24.6	23.5	23.9	16.0	15.5	15.8	---	---	---
4	28.0	26.8	27.2	24.6	23.9	24.1	15.7	15.3	15.6	---	---	---
5	27.6	26.9	27.2	24.1	23.1	23.5	15.6	15.0	15.4	---	---	---
6	27.1	26.7	26.9	23.2	22.3	22.7	15.8	15.3	15.5	14.0	12.1	12.9
7	26.7	25.5	26.2	22.5	21.4	22.1	16.5	15.7	16.0	14.4	12.6	13.4
8	25.7	23.9	24.9	22.1	20.7	21.6	17.0	16.3	16.6	15.1	12.9	13.9
9	24.8	23.6	24.3	21.5	18.6	20.5	17.7	16.5	17.0	15.7	13.5	14.6
10	24.6	23.6	24.1	19.7	17.6	18.9	18.3	17.0	17.6	16.2	13.6	14.9
11	24.4	23.7	24.2	19.0	17.2	18.3	17.8	16.2	16.9	16.1	13.9	15.1
12	24.5	23.9	24.3	19.0	17.8	18.6	16.2	15.0	15.6	16.4	14.2	15.3
13	24.9	24.2	24.5	19.0	18.2	18.7	15.3	14.0	14.9	16.8	14.8	15.6
14	24.2	23.7	23.9	18.3	16.6	17.4	14.8	13.3	14.0	17.0	15.3	16.2
15	---	---	---	17.2	15.2	16.2	13.8	11.6	12.6	15.6	13.9	14.8
16	---	---	---	---	---	---	12.5	10.5	11.7	14.2	12.3	13.1
17	23.0	21.6	22.3	---	---	---	12.1	10.8	11.7	13.0	10.9	11.9
18	23.2	22.3	22.7	---	---	---	12.2	11.2	11.8	11.8	9.4	10.7
19	23.9	22.7	23.1	---	---	---	12.0	11.1	11.7	10.7	8.5	9.7
20	24.2	23.1	23.5	---	---	---	11.4	9.7	10.7	10.1	8.7	9.4
21	23.6	23.2	23.4	---	---	---	10.7	9.2	10.1	10.2	8.7	9.6
22	23.2	22.4	22.9	---	---	---	10.9	9.3	10.3	10.2	9.1	9.8
23	22.6	21.5	22.2	---	---	---	12.0	10.1	11.3	10.0	8.9	9.5
24	22.1	21.2	21.8	19.0	18.2	18.6	12.1	11.2	11.6	8.9	7.9	8.6
25	22.0	21.2	21.7	19.0	18.1	18.7	11.2	10.0	10.6	8.7	7.4	8.2
26	21.8	21.2	21.6	18.2	16.9	17.4	10.2	7.9	9.2	9.1	8.0	8.7
27	21.8	21.2	21.5	17.0	15.4	16.3	8.9	7.6	8.4	10.2	9.1	9.4
28	21.7	21.5	21.6	16.3	15.2	16.0	8.6	7.4	8.1	9.6	8.4	8.9
29	21.8	21.5	21.6	16.2	15.7	16.0	8.9	7.8	8.4	8.4	7.1	7.8
30	22.7	21.6	22.0	16.4	15.6	16.1	9.5	8.6	8.9	7.8	7.0	7.6
31	23.5	22.1	22.6	---	---	---	10.2	9.1	9.5	8.4	7.3	7.8
MONTH	---	---	---	---	---	---	18.3	7.4	12.9	---	---	---

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	FEBRUARY			MARCH			APRIL			MAY		
1	8.3	7.9	8.1	13.1	12.6	12.9	---	---	---	21.6	20.0	20.5
2	8.0	7.8	7.9	12.7	11.6	12.3	---	---	---	22.1	20.3	21.0
3	7.9	7.8	7.9	12.2	11.4	11.9	---	---	---	21.8	20.8	21.2
4	8.2	7.6	7.9	12.1	11.1	11.8	---	---	---	21.9	20.9	21.4
5	8.5	7.9	8.2	12.4	11.6	12.0	---	---	---	22.0	20.3	21.1
6	8.9	8.1	8.5	12.7	11.9	12.3	---	---	---	20.4	19.8	20.1
7	9.5	8.4	8.9	13.2	12.1	12.7	---	---	---	21.1	19.8	20.3
8	10.6	8.7	9.4	13.9	12.6	13.1	---	---	---	22.1	20.4	21.0
9	11.2	9.3	10.1	13.2	12.2	12.6	---	---	---	23.4	21.1	21.9
10	12.1	10.0	10.8	12.8	11.7	12.3	---	---	---	23.9	21.9	22.6
11	11.1	9.8	10.4	13.2	12.2	12.5	---	---	---	24.6	22.4	23.2
12	11.1	9.7	10.2	13.4	12.0	12.4	---	---	---	25.4	23.0	24.0
13	11.3	10.1	10.5	14.3	12.5	13.0	---	---	---	25.9	23.6	24.7
14	11.4	10.3	10.8	15.4	13.2	14.0	---	---	---	26.2	24.3	25.2
15	11.6	10.6	11.0	15.5	13.7	14.4	---	---	---	26.1	24.6	25.3
16	12.2	10.8	11.4	15.1	13.9	14.5	---	---	---	25.8	24.8	25.3
17	12.8	11.3	12.0	14.1	13.0	13.5	---	---	---	25.6	25.0	25.4
18	12.6	11.6	12.0	---	---	---	---	---	---	25.6	25.1	25.4
19	12.1	11.5	11.9	---	---	---	---	---	---	25.9	25.1	25.5
20	12.4	11.6	12.0	---	---	---	---	---	---	25.9	25.3	25.6
21	13.1	11.9	12.5	---	---	---	---	---	---	25.4	23.8	24.8
22	14.2	12.5	13.3	---	---	---	---	---	---	24.3	23.2	23.9
23	15.3	13.2	14.2	---	---	---	---	---	---	24.8	23.7	24.2
24	16.3	13.8	15.0	---	---	---	---	---	---	25.9	24.3	24.8
25	15.8	13.9	14.8	---	---	---	---	---	---	25.0	23.8	24.3
26	14.6	13.6	14.1	---	---	---	---	---	---	25.3	23.7	24.3
27	14.2	13.1	13.7	---	---	---	---	---	---	25.6	23.8	24.4
28	13.4	12.8	13.1	---	---	---	---	---	---	26.2	24.3	24.9
29	---	---	---	---	---	---	20.9	18.9	19.6	26.6	25.0	25.5
30	---	---	---	---	---	---	21.0	19.6	20.2	26.5	25.3	25.7
31	---	---	---	---	---	---	---	---	---	25.9	25.0	25.4
MONTH	16.3	7.6	11.1	---	---	---	---	---	---	26.6	19.8	23.6

BROAD RIVER BASIN

02176603 BEAUFORT RIVER AT BEAUFORT, SC--Continued

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	25.1	24.5	24.9	29.7	28.4	28.9	31.3	30.0	30.8	30.2	29.7	29.9
2	25.4	24.8	25.1	29.9	29.0	29.5	30.7	29.7	30.3	30.3	29.8	30.0
3	25.4	25.1	25.3	30.2	29.5	29.9	30.7	29.7	30.1	30.2	29.6	29.9
4	25.9	25.3	25.6	30.4	29.7	30.0	30.5	29.8	30.1	30.1	29.6	29.8
5	26.7	25.8	26.2	30.5	29.9	30.1	30.8	29.9	30.3	29.6	28.8	29.0
6	27.5	26.3	26.7	30.8	29.9	30.2	30.7	30.2	30.4	28.8	27.9	28.1
7	28.2	26.7	27.2	31.0	30.1	30.4	30.5	29.8	30.0	28.0	26.9	27.2
8	28.7	27.4	27.8	31.3	30.0	30.5	30.1	29.5	29.8	27.3	26.2	26.9
9	29.4	27.8	28.3	30.7	29.9	30.4	30.0	29.1	29.6	27.3	26.6	26.9
10	29.4	28.2	28.6	30.2	29.7	29.9	30.1	29.5	29.8	27.3	26.1	26.7
11	28.5	27.9	28.2	30.2	29.4	29.7	30.3	29.6	29.9	26.9	26.0	26.5
12	28.1	27.6	27.9	30.7	29.6	30.0	30.6	29.8	30.1	26.5	25.7	26.1
13	28.6	27.5	28.0	30.8	30.0	30.4	30.9	30.1	30.3	25.9	25.1	25.6
14	29.2	27.9	28.4	30.9	29.9	30.4	31.3	30.3	30.7	26.0	25.4	25.8
15	29.9	28.4	29.0	---	---	---	31.3	30.7	31.0	26.7	25.9	26.2
16	30.0	28.9	29.4	---	---	---	31.5	30.9	31.2	27.4	26.3	26.8
17	29.8	29.1	29.5	---	---	---	31.8	31.1	31.4	28.6	26.8	27.5
18	29.8	28.7	29.3	---	---	---	31.7	31.1	31.4	29.4	27.4	28.2
19	28.8	27.4	28.4	---	---	---	32.1	31.1	31.5	29.9	27.9	28.6
20	27.9	27.0	27.5	---	---	---	32.7	31.1	31.7	30.1	28.3	29.0
21	28.1	27.0	27.5	32.3	31.1	31.6	33.2	31.5	32.1	30.0	28.6	29.1
22	28.6	27.4	27.9	32.5	31.2	31.6	32.9	31.8	32.2	30.1	28.8	29.2
23	29.4	27.7	28.3	32.7	31.1	31.6	32.6	31.4	32.0	30.2	29.0	29.4
24	29.2	28.1	28.5	32.9	31.3	31.8	32.2	31.6	31.9	30.1	29.2	29.5
25	28.3	27.6	27.9	33.0	31.4	31.9	31.7	30.3	31.1	29.7	29.2	29.5
26	29.0	26.9	27.8	33.0	31.4	31.9	30.6	28.9	29.7	29.5	29.1	29.3
27	28.7	28.1	28.3	33.2	31.7	32.1	29.7	28.3	29.2	29.4	28.8	29.1
28	28.2	27.9	28.1	32.7	32.0	32.3	30.0	29.0	29.6	28.9	28.0	28.6
29	28.2	27.6	27.9	32.5	31.9	32.2	30.4	29.6	30.0	28.7	27.9	28.3
30	29.0	27.9	28.3	32.4	31.8	32.1	30.3	29.9	30.1	28.4	27.7	28.2
31	---	---	---	32.2	31.0	31.8	30.2	29.7	29.9	---	---	---
MONTH	30.0	24.5	27.7	---	---	---	33.2	28.3	30.6	30.3	25.1	28.2

BROAD RIVER BASIN

02176603 BEAUFORT RIVER AT BEAUFORT, SC--Continued

Dissolved oxygen, water, unfiltered, milligrams per liter
WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN									
1	---	---	---	6.7	5.0	5.6	4.8	3.5	4.3	4.4	3.7	4.0
2	---	---	---	6.4	5.3	5.7	4.7	3.3	4.0	4.9	3.5	4.1
3	---	---	---	5.9	5.2	5.5	5.2	3.4	4.2	5.2	3.8	4.3
4	---	---	---	5.9	5.0	5.3	4.9	3.4	4.3	5.3	3.8	4.5
5	---	---	---	5.5	4.7	5.1	5.2	3.8	4.4	5.6	4.0	4.7
6	---	---	---	5.1	4.2	4.5	5.2	3.9	4.5	5.0	4.1	4.6
7	---	---	---	5.1	3.8	4.5	5.2	4.0	4.6	5.1	4.1	4.5
8	---	---	---	5.7	4.1	4.8	4.7	3.9	4.3	5.8	4.4	4.9
9	5.6	4.2	4.8	5.3	4.3	4.8	4.5	3.4	4.1	5.8	4.7	5.2
10	5.7	4.3	4.8	5.1	3.8	4.6	4.3	3.5	4.0	5.9	4.8	5.4
11	5.0	4.2	4.6	5.4	4.0	4.8	4.4	3.3	4.0	5.9	5.0	5.6
12	5.0	4.1	4.5	5.6	4.3	5.1	4.5	3.5	4.0	---	---	---
13	5.5	4.2	4.8	5.8	4.4	5.1	4.4	3.7	4.0	---	---	---
14	5.8	4.5	5.1	4.9	3.7	4.5	4.5	3.6	4.1	---	---	---
15	6.0	4.7	5.4	---	---	---	4.7	3.7	4.2	5.6	4.8	5.3
16	6.0	4.6	5.5	---	---	---	4.8	3.6	4.3	5.4	4.5	5.0
17	5.9	4.7	5.4	---	---	---	5.1	3.7	4.4	5.3	4.3	4.8
18	5.5	4.3	5.0	---	---	---	4.5	3.4	4.0	5.6	4.3	4.9
19	4.9	4.2	4.5	---	---	---	4.1	3.1	3.6	5.9	4.4	4.9
20	5.0	4.2	4.6	---	---	---	4.9	3.1	3.8	6.2	4.3	5.1
21	5.9	4.3	4.8	5.8	4.2	5.1	4.9	3.3	4.0	6.3	4.6	5.2
22	5.3	4.4	4.7	5.4	4.0	4.8	4.8	3.4	4.0	6.4	4.4	5.3
23	5.4	4.2	4.7	5.3	3.7	4.6	5.2	3.2	4.1	6.2	4.8	5.4
24	5.2	4.0	4.6	5.7	3.4	4.7	5.2	3.6	4.3	6.1	4.5	5.3
25	4.8	4.0	4.4	6.0	4.1	4.9	5.3	3.9	4.4	5.9	4.4	5.2
26	5.0	3.8	4.4	5.4	4.1	4.8	4.9	3.9	4.4	5.6	4.3	5.0
27	4.6	3.9	4.3	5.5	4.0	4.8	4.7	3.2	4.1	5.5	4.1	4.7
28	5.0	3.6	4.3	5.2	4.2	4.8	4.8	3.5	4.1	4.7	3.7	4.3
29	5.5	4.2	4.8	5.7	3.8	4.8	4.7	3.5	4.2	4.4	3.8	4.2
30	6.0	4.5	5.2	5.7	4.0	4.9	4.8	4.1	4.4	4.1	3.6	4.0
31	---	---	---	5.2	3.7	4.7	4.6	3.8	4.2	---	---	---
MONTH	---	---	---	---	---	---	5.3	3.1	4.2	---	---	---